

Annex I / Sensor List (Version from 2023-10-05, page 1 of 3)

That annex has to be observed in connection with the listed door types and pictures a fraction of the related certificates stated aside. For the in following itemized type subjects only the below-mentioned sensors and control elements may be used.

Applicant: GEZE GmbH
 Reinhold-Vöster-Straße 21-29
 71229 Leonberg

Scope/ Type:	Powerdrive-FR	-	P-2927/07
	Universal FR Kit	-	P-3221/08
	Slimdrive SL NT-FR	-	P-3471/09
	Slimdrive SL-FR-RC2	-	P-3660/09
	Slimdrive SC-FR-GGS	-	P-4001/10
	Slimdrive SL-FR	-	P-4020/10
	Slimdrive SLT-FR	-	P-4021/10
	Slimdrive SC-FR	-	P-4022/10
	Slimdrive SLV-FR	-	P-4024/10
	Slimdrive SL-BO	-	P-4025/10
	Slimdrive SC-FR-RC2	-	P-4044/11
	ECdrive T2-FR	-	P-4095/17

Allowed sensors and control elements:

1. Door control

Door Type	Control in Escape Direction (KI)	Control From the Outside (KA)
Powerdrive-FR Universal FR Kit Slimdrive SL NT-FR Slimdrive SL-FR-RC2 Slimdrive SC-FR-GGS Slimdrive SL-FR Slimdrive SLT-FR Slimdrive SC-FR Slimdrive SLV-FR Slimdrive SC-FR-RC2 ECdrive T2-FR	Radar Presence Detector GC 302 SV GC 304 SF ACTIV S GE MERKUR S GC 363 SF GC 363+ SF GC 363 S-Interface GC 365 SF	Radar Presence Detector GC 302 R GC 304 R GC 306 GC 307+ GC 363 R GC 363+ R MERKUR S (at FR-Duo) ACTIV S GE (at FR-Duo) GC 365 R Potential Free NO Contacts GEZE Elbow Switches GEZE Mechanical Push Buttons GEZE Pull Switch GEZE Foot Contact Switch GEZE Remote Control GEZE LED Sensor Switches

Door Type	Control
Slimdrive SL-BO	Radar Presence Detector GC 302 R GC 304 R GC 306 GC 307+ GC 308 R GC 363 R GC 363+ R GC 365 R Potential Free Normal Open Contacts GEZE Elbow Switches, GEZE Mechanical Push Buttons, GEZE Pull Switch, GEZE Foot Contact Switch, GEZE Remote Control, GEZE LED Sensor Switches

2. Safeguarding of dangerous spots / Presence Sensors

Door Type	Safeguarding with Closing (SIS)	Safeguarding with Opening (SIO)
Powerdrive-FR Universal FR Kit Slimdrive SL NT-FR Slimdrive SL-FR-RC2 Slimdrive SC-FR-GGS Slimdrive SL-FR Slimdrive SLT-FR Slimdrive SC-FR Slimdrive SLV-FR Slimdrive SC-FR-RC2 ECdrive T2-FR	IR-Photoelectric Barrier GZ470 V GZ472 V IR- Sensor AIR30 IR- curtain Sensor GC 339 GC 339+ GC 341 GC 363 R GC 363+ R GC 363 SF GC 363+ SF GC 365 R GC 365 SF ACTIV S GE (in Escape Direction)	IR- Sensor AIR30 IR- curtain Sensor GC 339 GC 339+ GC 341
Door Type	Safeguarding with Closing (SIS)	Safeguarding with Opening (SIO)
Slimdrive SL-BO	IR-Photoelectric Barrier GZ470 V GZ472 V IR- Sensor AIR30 IR- curtain Sensor GC 339 GC 339+ GC 341 GC 363 R GC 363+ R GC 365 R	IR- Sensor AIR30 IR- curtain Sensor GC 339 GC 339+ GC 341

3. Accessories

Door Type	Accessories
Powerdrive-FR Slimdrive SL NT-FR Slimdrive SL-FR ECdrive T2-FR	myGEZE Cloud Link
Door Type	Accessories
Powerdrive-FR Universal FR Kit Slimdrive SL NT-FR Slimdrive SL-FR-RC2 Slimdrive SC-FR-GGS Slimdrive SL-FR Slimdrive SLT-FR Slimdrive SC-FR Slimdrive SLV-FR Slimdrive SC-FR-RC2 ECdrive T2-FR Slimdrive SL-BO	CAN Interface CAN/CAN

Notes:

1. That sensor list/annex I, replaces the one dated from 2021-06-15. For this reason sensor list/annex I from 2021-06-15 becomes invalid with immediate effect.
2. The duration of validity of the particular type licences is not changed by that amendment.

Zella-Mehlis, 2023-10-05

Technischer Überwachungsverein Thüringen e.V.
Test Centre for Building Industry Products

Dipl.-Ing. (FH) Reichelt
Head of Test Centre

